

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L6491-211-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

Issued to: METALROTA SRL
Via Bulgaria 46
Modena, MO 41122
Italy

**This is to certify that
representative samples of**

YCFT8 - Industrial Truck Accessories, Battery Powered
Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: ULC/ORD C583, 1st Ed., Issue Date: 1974-01-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L6491-211-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
MR.AC.10662, f/b 65, 80, 105, 110 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.11062, f/b 70, 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.11066, f/b 110, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.12570, f/b 60, 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.12580, f/b 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.13580, f/b 80, 100, 120, 140 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.15290, f/b 120 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.173103, f/b 100, 120 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.200125, f/b 50, 60, 75, 80, 100, 140, 160, 180 or 220, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.200150, f/b 160 or 200, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.240150, f/b 100, 120 or 240, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.270170, f/b 180, 220 or 250, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.300190, f/b 200, 270 or 320, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.8045, f/b 50, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.9050, f/b 60 or 70, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.BL.10255, f/b 20, 30, 40, 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.10655, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.10670, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L6491-211-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

MR.BL.11070, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.12580, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components
MR.BL.13590, f/b 60, 100, 120 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.15290, f/b 80, 100 or 120, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.173115, f/b 100 or 125, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.200125, f/b 50, 75, 100, 125 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.240150, f/b 60, 80, 100, 120 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.7040, f/b 20, 40, 60 or 120, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components
MR.BL.8045, f/b 50, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.BL.9050, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L6491-111-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

Issued to: METALROTA SRL
Via Bulgaria 46
Modena, MO 41122
Italy

**This is to certify that
representative samples of**

YCFT2 - Industrial Truck Accessories, Battery Powered -
Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 583, 10th Ed., Issue Date: 2012-08-15, Revision Date: 2020-10-30

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L6491-111-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
MR.AC.10662, f/b 65, 80, 105, 110 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.11062, f/b 70, 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.11066, f/b 110, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.12570, f/b 60, 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.12580, f/b 80 or 100, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.13580, f/b 80, 100, 120, 140 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.AC.15290, f/b 120 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.173103, f/b 100, 120 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.200125, f/b 50, 60, 75, 80, 100, 140, 160, 180 or 220, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.200150, f/b 160 or 200, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.240150, f/b 100, 120 or 240, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.270170, f/b 180, 220 or 250, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.300190, f/b 200, 270 or 320, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.8045, f/b 50, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.AC.9050, f/b 60 or 70, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.BL.10255, f/b 20, 30, 40, 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.10655, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.10670, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L6491-111-21600202-3
Report Reference AU6491-20200612
Date 16-Jun-2023

MR.BL.11070, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.12580, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components
MR.BL.13590, f/b 60, 100, 120 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.15290, f/b 80, 100 or 120, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.173115, f/b 100 or 125, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.200125, f/b 50, 75, 100, 125 or 150, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.240150, f/b 60, 80, 100, 120 or 140, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Accessories, Battery Powered - Component
MR.BL.7040, f/b 20, 40, 60 or 120, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components
MR.BL.8045, f/b 50, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Motors
MR.BL.9050, f/b 60 or 80, f/b up to three digits, f/b two or three digits, may be f/b up to ten digits	Industrial Truck Components

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>